



FS-Elliott


At A Glance



Quality, Innovation & Value

FS-Elliott Co., LLC is a leading manufacturer of oil-free centrifugal air and gas compressors with sales, service, and manufacturing locations around the world. First introduced to the market over 50 years ago, our energy-efficient compressors incorporate the latest aerodynamic and control system technologies to ensure optimum performance. FS-Elliott offers a complete line of integrally geared centrifugal compressor packages:

- Standard Packages offer an advanced aerodynamic design in an economical package.
- Engineered Packages are custom designed to fit your individual needs. Basic package includes an air compressor, driver, heat exchangers, controls, and lubrication system. May be extended to include air dryers, aftercoolers, separators, closed-loop coolingwater system, pulse jet air filtration systems, and off-skid lubrication systems.
- Industrial Gas Compressors are a highly efficient solution for air separation.





Product Portfolio





P-300

900-2,090 ICFM (25-59 m³/min) 250-450 HP (186-336 kW) 45-150 PSIG (3.1-10.3 BARG)



P-400

1,600-3,350 ICFM (45-95 m³/min) 400-700 HP (298-522 kW) 45-150 PSIG (3.1-10.3 BARG)



P-500

2,600-4,500 ICFM (74-127 m³/min) 600-1,000 HP (447-746 kW) 45-150 PSIG (3.1-10.3 BARG)





900-2,200 ICFM (25-59 m³/min) 250-450 HP (186-336 kW) 45-150 PSIG (3.1-10.3 BARG)



1,500-3,400 ICFM (42-96 m³/min) 350-700 HP (260-520 kW) 45-150 PSIG (3.1-10.3 BARG)



BH

3,500-5,700 ICFM (94-162 m³/min) 800-1,250 HP (597-932 kW) 45-150 PSIG (3.1-10.3 BARG)





R-150

Standard Industrial Controller Meets Industrial Use Requirements



R-200

Enhanced Industrial Controller Meets Industrial Use Requirements Enhanced Options



R-300

Engineered PLC Controller Siemens or Allen Bradley PLC available





BP

Blower Purge 40-5,400 SCFM



H

Externally Heated 300-3,200 SCFM



HL

Heatless 40-5,400 SCFM





P-600

4,000-6,500 ICFM (113-184 m³/min) 700-1,500 HP (522-1,119 kW) 45-150 PSIG (3.1-10.3 BARG)



P-700

6,000-11,500 ICFM (170-326 m³/min) 1,250-3,000 HP (932-2,240 kW) 45-150 PSIG (3.1-10.3 BARG)



CH

5,500-11,000 ICFM (156-312 m³/min) 1,000-2,000 HP (746-1,492 kW) 45-150 PSIG (3.1-10.3 BARG)



10,000-18,000 ICFM (283-510 m³/min)

2,000-4,000 HP (1,492-2,980 kW) 45-150 PSIG (3.1-10.3 BARG)




15,000-24,500 ICFM (439-695 m³/min) 1,600-4,500 HP (1,200-3,400 kW)

Up to 350 PSIG (23.1 BARG)



R-400

Enhanced Engineered PLC Controller Fully Customizable Solution Redundant Solutions





Headquarters—Export, Pennsylvania, USA Basingstoke, United Kingdom Houston, Texas, USA Jubail, Kingdom of Saudi Arabia Los Angeles, California, USA Mangalore, India Shanghai, China Taipei, Taiwan

Building on a 50-year tradition of excellence in compressor design and manufacturing, FS-Elliott brings our customers the resources of a global industry leader along with the convenience and responsiveness of local sales and service. Thousands of reliable, hard-working FS-Elliott compressors are installed worldwide.

FS-Elliott Co., LLC

5710 Mellon Road Export, PA 15632-8948 724.387.3200 tel 724.387.3270 fax info@fs-elliott.com email

www.fs-elliott.com

Represented by:







ISO 9001-certified for the design and manufacture of centrifugal compressors.

FS-Elliott Co., LLC reserves the right to modify the design or construction of the equipment described in this brochure and to furnish it, as altered, without further reference to the illustrations or information contained herein.

Bulletin FSP79-813